EDOINY ROOM-DARKENING BLINDS



The Ebony range of compact boxed dark blinds are ideal for applications which require cost-effective room-darkening solutions.

The attractive range of 100% blackout fabrics will match with most décor needs and the manual or motorised operation provides a variety of options for every application.



Ebony 76 is an aesthetically compact design utilising a 76mm diameter cassette. This feature makes this blind ideally suited for children's bedrooms and home entertainment rooms.

- Cassette dimensions: 76mm x 76mm
- For internal use
- Maximum blind dimensions: Width 2.6m Height 2.6m
- Manual or motorised operation
- Exposed aluminium is powder-coated RAL9010 white
- Variety of 100% blackout fabrics







Note: Strengthening cross bars are available for larger installations

- as shown here

ebohy3

The Ebony 103 textile roller blind is ideal for multi-use lecture theatres, school classrooms and audio-visual meeting and conference rooms, where the robust construction and ease of use make this blind an ideal room blackout solution.

- Maximum blind dimensions: Width 4.5m Height 4m
- Cassette dimensions: 103mm x 117mm
- Manual or motorised operation
- Exposed aluminium is powder-coated RAL9010 white
- Variety of 100% blackout fabrics
- Also available with a 'lock' bottom bar for eternal applications (using motor)
- Strengthening cross bars also available for larger installations

COMPARISONS AT A GLANCE

To give a clear indication of the most appropriate application for your installation, shown here is a general comparison table.

PRODUCT	Cassette	Maximum blind size		Suitability		Manual/	Fabrics
		Width	Height	Internal	External	Electric	
Ebony 76	76mm x 76mm	2.6m	2.6m	1	×	Both	Both products utilise fabrics from the EBONY GUARD and EBONY 550 BLACKOUT ranges
Ebony 103	103mm x 117mm	4.5m	4.0m	√	×	Both	
Ebony 103 Lock	103mm x 117mm	3.0m	2.0m	V	√	Electric	

GENERAL INFORMATION

Other useful features of the Ebony range of room-darkening blinds:

- For both models the cassette boxes are fabricated in two parts for easy access.
- The side guides are 80mm x 23mm extruded aluminium sections for fabric stability.
- All exposed aluminium parts are white polyester coated RAL9010 as standard. (Other RAL colours can be made available on application.)
- Blinds that are manually operated are done so through an aluminium crank-operated rod, ensuring the product's safe use in all domestic and educational applications.
- All blinds can be motorised
 with control by either a simple switch or remote control. (See data sheet for options.)

FABRICS

The attractive range of 100% blackout fabrics include 8 colour options to match with most décor needs.

All fabrics are double-sided and available in two thicknesses; **250** micron (EBONY GUARD); and **350** micron (EBONY 550 BLACKOUT).

All fabrics meet BS 5867 – 1980, Part 2, Type B fire retardant specifications.



Note: The fabric colours shown here are illustrative only. Full swatches are available on request.

